



Aluminium tube




Material-ID	Name	Weight	Diameter	S	Drawing Number
3EGF004168	Tube	0,668 kg	26 mm	3,5 mm	Ebs 20.20.16
3EGF004169	Tube	1,289 kg	42 mm	4,0 mm	Ebs 20.20.16
3EGF004170	Tube	2,540 kg	55 mm	6,0 mm	Ebs 20.20.16
3EGF004171	Tube	3,256 kg	70 mm	6,0 mm	Ebs 20.20.16
3EGF004172	Tube	3,765 kg	80 mm	6,0 mm	Ebs 20.20.16
3EGF004165	Tube	7,632 kg	100 mm	10,0 mm	Ebs 20.20.16
3EGF004166	Tube	10,990 kg	120 mm	12,0 mm	Ebs 20.20.16

Steel tube



© RPS Rail Power Systems



© RPS Rail Power Systems


Material-ID	Name	Weight	Diameter	S	Drawing Number
3EGF002862	Tube	0,246 kg	32 mm	3,5 mm	DIN 2391
3EGF003795	Tube	0,194 kg	26 mm	3,5 mm	DIN EN 10305-1
3EGF011706	Tube	1,586 kg	26 mm	3,5 mm	DIN 2391, Ebs 20.20.07

GRP rod




Material-ID	Name	Weight
3EGF014949	GRP rod	2,26 kg
3EGF015014	GRP rod	2,26 kg
3EGF015027	GRP rod	2,26 kg

Seamless steel tube



© RPS Rail Power



© RPS Rail Power Systems

Material-ID	Name	Weight	Diameter	S	Drawing Number
3EGF001836	Sliding tube	1,276 kg	17,2 mm	2,3 mm	Ebs 08.12.02
3EGF001839	Tube	0,51 kg	17,2 mm	2,3 mm	Ebs 08.12.02

