



Swivel suspension clamp for ropes



Material-ID	Name	Build Type	Rope Diameter
3EGF009658	Swivel suspension clamp	a	19,0 - 22,4 mm
3EGF002641	Swivel suspension clamp	c	19,0 - 22,4 mm
3EGF009660	Swivel suspension clamp	c1	19,0 - 22,4 mm
3EGF002640	Swivel suspension clamp	a	19,0 - 22,4 mm
3EGF009662	Swivel suspension clamp	c	19,0 - 22,4 mm
3EGF009663	Messenger wire support clamp	c1 (support clamp)	19,0 - 22,4 mm
3EGF002638	Suspension clamp	a	17,6 - 22,5 mm
3EGF010618	Suspension clamp	c	17,6 - 22,5 mm
3EGF010617	Suspension clamp	c1	17,6 - 22,5 mm


Messenger wire clamp

for messenger wire with stitch wire. Protective sleeves included




Material-ID	Name	Build Type	Weight	Rope Q
3EGF010257	Suspension clamp	a	1,76 kg	50 mm ²
3EGF010258	Suspension clamp	b	1,77 kg	95 mm ²
3EGF010259	Suspension clamp	c	0,320 kg	150 mm ²

Suspension clamp for Ø 14,3 mm



© RPS Rail Power Systems




© RPS Rail Power Systems

Material-ID	Name	Weight	Rope Diameter
3EGF017356	Suspension clamp	0,740 kg	14,3 mm

Messenger wire clamp C


for 2 messenger wires 50 mm²- 150 mm²



Material-ID	Weight	Nominal Force	Track Rope
3EGF006753	0,8 kg	25 kN	150 mm ²
3EGF011621	0,8 kg	25 kN	50 mm ²
3EGF011400	0,8 kg	25 kN	70 mm ²
3EGF011623	0,8 kg	25 kN	95 mm ²
3EGF006754	0,8 kg	25 kN	150 mm ²

Messenger wire clamp D

for two messenger wires 185² - 250², protective sleeves included



Material-ID


3EGF010044

Weight

0,36 kg


Messenger wire clamp E

for two messenger wires up to 95², protective sleeves to be ordered separately



Material-ID	Weight	Nominal Force
3EGF001550	1,32 kg	40 kN


Messenger wire clamp for 50 mm² - 150 mm² wires



Material-ID	Name	Weight	Track Rope	Nominal Force
3EGF006759	Suspension clamp	0,52 kg	150 mm²	25 kN
3EGF011025	Suspension clamp	0,52 kg	50 mm²	25 kN
3EGF011026	Suspension clamp	0,52 kg	70 mm²	25 kN
3EGF006762	Suspension clamp	0,52 kg	95 mm²	25 kN
3EGF008088	Suspension clamp	0,52 kg	120 mm²	25 kN
3EGF006763	Suspension clamp	0,52 kg	150 mm²	25 kN

Support clamp

for aluminium feeder wire



Material-ID	Name	Weight	A	B	C	Rope Q	Rope Diameter
3EGF002597	Suspension clamp	2,6 kg	62 mm	110 mm	190 mm	185/30 - Al/St mm ²	19,0 mm
3EGF011684	Suspension clamp	2,6 kg	64 mm	120 mm	220 mm	240 - Al mm ²	20,3 mm

