


Electrical connection clamp


for wires and cables at insulator



Material-ID	Name	Weight	Rope Q	Contact Wire	Drawing Number
3EGF002220	Wire guiding clamp	1,50 kg	70x189 mm ²		Ebs 10.21.15 a
3EGF002222	Wire guiding clamp	1,50 kg	95x259 mm ²		Ebs 10.21.15 b
3EGF008286	Wire guiding clamp	1,50 kg	120x19 mm ²		Ebs 10.21.15 c
3EGF008287	Wire guiding clamp	1,50 kg	95x19 mm ²	AC100	Ebs 10.21.15 d

Electrical connection clamp for wires and cables


for wire/cable and contact wire



Material-ID	Name	Weight	Rope Q	Drawing Number
3EGF006868	Clamp	0,54 kg	95/95 flex mm²	GVT3516447 I
3EGF006869	Clamp	0,67 kg	95unverd./95RG mm²	GVT3516447 III
3EGF006874	Clamp	0,55 kg	95/50 flex mm²	GVT3516448


Parallel groove clamp

for grooved contact wires and steel, copper and bronze wires




Material-ID	Weight	Rope Diameter	Contact Wire	Drawing Number
3EGF002798	0,250 kg	50/70 mm	AC80 - AC150	Ebs 20.02.01

Electrical connection clamp for 2 wires




Material-ID	Name	Weight	Rope Q	Drawing Number
3EGF014102	Terminal clamp	0,32 kg	70-150f mm ²	3EGF008560Z3163

Electrical connection clamp for wire/cable and contact wire



Material-ID	Name	Weight	Rope Q	Drawing Number
3EGF006169	Electrical connection clamp	0,60 kg	95 flex mm ²	GVT3506478 III
3EGF006188	Electrical connection clamp	0,60 kg	107 flex mm ²	GVT3506714 I
3EGF006168	Electrical connection clamp	0,60 kg	120 flex mm ²	GVT3506478 II
3EGF006167	Electrical connection clamp	0,60 kg	150 flex mm ²	GVT3506478 I

Electrical connection clamp F



Material-ID	Name	Build Type	Weight	Diameter	Rope Q	Drawing Number
3EGF006903	Terminal clamp	without protective sleeves	0,92 kg	18,4 mm	120 mm ²	GVT 3516493 III

