Rail Power Systems

Tension Spring

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Tension Spring until 6 kN

Variante: Tension Spring 3 kN Range 50 mm

Product	Tension Spring 3 kN Range 50 mm
Manufacturer	Rail Power Systems GmbH
Material number	3EGF006315

TracFeed® NSV Tensioning spring MANUAL Download

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Mechanical values

	Value
Name	Tension Spring 3 kN Range 50 mm
Weight	3 kg
Nominal Force	3 kN
L	350 mm
Material-ID	3EGF006315

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.



© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Contact line components > Suspensions and fixed points > Tension Spring

Tension Spring until 6 kN

Variante: Tension Spring 3 kN Range 100 mm

Product	Tension Spring 3 kN Range 100 mm
Manufacturer	Rail Power Systems GmbH
Material number	3EGF006367



TracFeed® NSV Tensioning spring MANUAL Download

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Mechanical values

	Value
Name	Tension Spring 3 kN Range 100 mm
Weight	6 kg
Nominal Force	3 kN
L	550 mm
Material-ID	3EGF006367

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.



© RPS Rail Power Systems



© RPS Rail Power Systems

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Tension Spring until 6 kN

Variante: Tension Spring 6 kN Range 135 mm

Product	Tension Spring 6 kN Range 135 mm
Manufacturer	Rail Power Systems GmbH
Material number	3EGF002272

Max. span length: 135 mm
3-6 kN

TracFeed® NSV Tensioning spring MANUAL Download

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Mechanical values

	Value
Name	Tension Spring 6 kN Range 135 mm
Ebs	Ebs 11.11.19-1
Weight	9 kg
Nominal Force	6 kN
L	860 mm
Material-ID	3EGF002272

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.





© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Tension Spring until 10 kN

Variante: Tension Spring 10 kN Range 240 mm



Product	Tension Spring 10 kN Range 240 mm
Manufacturer	Rail Power Systems GmbH
Material number	3EGF006356

TracFeed® NSV Tensioning spring MANUAL Download

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.

Mechanical values

	Value
Name	Tension Spring 10 kN Range 240 mm
Weight	17 kg
Nominal Force	10 kN
L	1200 mm
Material-ID	3EGF006356

© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.



© RPS Rail Power Systems



© Rail Power Systems GmbH – All rights reseverd.
The distribution of the document is only permitted within the context of the intended use.
Any use beyond is not permitted without the written authorization of Rail Power Systems GmbH.